BRAIN RESEARCH

VOL. 834 NOS. 1,2 **CONTENTS** **10 JULY 1999**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines for the submission of manuscripts v

Research reports

Measurement of human brain dexfenfluramine concentration by 19F magnetic resonance spectroscopy
J.D. Christensen, D.A. Yurgelun-Todd, S.M. Babb, S.A. Gruber, B.M. Cohen and P.F. Renshaw (USA) 1

Amnesic effects of the anticholinergic drugs, trihexyphenidyl and biperiden: differences in binding properties to the brain muscarinic receptor
Y. Kimura, M. Ohue, T. Kitaura and K. Kihira (Japan) 6

Antinociceptive effects of brain rewarding system in the developing rabbit: behavioral and electrophysiological analysis
I.P. Butkevich and V.G. Kassil (Russian Federation) 13

The neurotensinergic synaptic innervation of vasopressin containing neurons in the rat hypothalamic paraventricular nucleus
Q.-P. Wang, J.-L. Guan, H. Ochiai and Y. Nakai (Japan) 25

Global ischemia-induced inhibition of the coupling ratio of calcium uptake and ATP hydrolysis by rat whole brain microsomal Mg^{2+}/Ca^{2+} ATPase
J.T. Parsons, S.B. Churn and R.J. DeLorenzo (USA) 32

Differential recruitment of hypothalamic neuroendocrine and ventrolateral medulla catecholamine cells by non-hypotensive and hypotensive hemorrhages
K.M. Buller, D.W. Smith and T.A. Day (Australia) 42

Increased c-*fos* expression in spinal lumbosacral projection neurons and preganglionic neurons after irritation of the lower urinary tract in the rat
L.A. Birder, J.R. Roppolo, V.L. Erickson and W.C. De Groat (USA) 55

Immunohistochemical demonstration of a neuronal calmodulin-binding protein, NAP-22, in the rat spinal cord
S. Iino and S. Maekawa (Japan) 66

Effect of paired transcranial magnetic stimulation on the cortical silent period
T. Shimizu, M. Oliveri, M.M. Filippi, M.G. Palmieri, P. Pasqualetti and P.M. Rossini (Italy, Japan) 74

FMRFamide immunoreactivity and the invasion of adenohypophyseal cells into the neural lobe in the developing pituitary of the tree shrew *Tupaia belangeri*
C.R. Malz and H.-J. Kuhn (Germany) 83

Long-lasting c-*fos* and NGF mRNA expressions and loss of perikaryal parvalbumin immunoreactivity in the development of epileptogenesis after ethacrynic acid-induced seizure
J. Suzukawa, K. Omori, G. Okugawa, Y. Fujiseki, C.W. Heizmann and C. Inagaki (Japan, Switzerland) 89

A single pretreatment with MK-801 or cocaine enhances their locomotor stimulant effects in rats
M.F. O'Neill and G.J. Sanger (UK) 103

Effects of electrical stimulation of thalamic nucleus submedius and periaqueductal gray on the visceral nociceptive responses of spinal dorsal horn neurons in the rat
K. Okada, K. Murase and K. Kawakita (Japan) 112

Spatio-temporal analysis of light-induced Fos expression in the retina of rd mutant mice
J.J. Huerta, M.M. Llamosas, R. Cernuda-Cernuda and J.M. García-Fernández (Spain) 122

Characterization and regional distribution of nitric oxide synthase in the human brain during normal ageing
D. Blum-Degen, T. Heinemann, J. Lan, V. Pedersen, F. Leblhuber, W. Paulus, P. Riederer and M. Gerlach (Germany, Austria) 128

Short communications

Differential effects of 192IgG-saporin and NMDA-induced lesions into the basal forebrain on cholinergic activity and taste aversion memory formation
H. Gutiérrez, R. Gutiérrez, R. Silva-Gandarias, J. Estrada, M.I. Miranda and F. Bermúdez-Rattoni (Mexico) 136

Predominant expression of group-II metabotropic glutamate receptors in the goldfish brain
A. Poli, R. Lucchi, M. Storto, P. De Paolis, S. Notari, F. Nicoletti and G. Casabona (Italy) 142

Immunohistochemical localization of connective tissue growth factor in the rat central nervous system
Y. Kondo, T. Nakanishi, M. Takigawa and N. Ogawa (Japan) 146

(Contents continued on p. 235)

0006-8993(19990710)834:1/2;1-P

BRAIN RESEARCH

VOL. 834 NOS. 1,2 **CONTENTS** **10 JULY 1999**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines for the submission of manuscripts v

Research reports

Measurement of human brain dexfenfluramine concentration by 19F magnetic resonance spectroscopy
J.D. Christensen, D.A. Yurgelun-Todd, S.M. Babb, S.A. Gruber, B.M. Cohen and P.F. Renshaw (USA) 1

Amnesic effects of the anticholinergic drugs, trihexyphenidyl and biperiden: differences in binding properties to the brain muscarinic receptor
Y. Kimura, M. Ohue, T. Kitaura and K. Kihira (Japan) 6

Antinociceptive effects of brain rewarding system in the developing rabbit: behavioral and electrophysiological analysis
I.P. Butkevich and V.G. Kassil (Russian Federation) 13

The neurotensinergic synaptic innervation of vasopressin containing neurons in the rat hypothalamic paraventricular nucleus
Q.-P. Wang, J.-L. Guan, H. Ochiai and Y. Nakai (Japan) 25

Global ischemia-induced inhibition of the coupling ratio of calcium uptake and ATP hydrolysis by rat whole brain microsomal Mg^{2+}/Ca^{2+} ATPase
J.T. Parsons, S.B. Churn and R.J. DeLorenzo (USA) 32

Differential recruitment of hypothalamic neuroendocrine and ventrolateral medulla catecholamine cells by non-hypotensive and hypotensive hemorrhages
K.M. Buller, D.W. Smith and T.A. Day (Australia) 42

Increased c-*fos* expression in spinal lumbosacral projection neurons and preganglionic neurons after irritation of the lower urinary tract in the rat
L.A. Birder, J.R. Roppolo, V.L. Erickson and W.C. De Groat (USA) 55

Immunohistochemical demonstration of a neuronal calmodulin-binding protein, NAP-22, in the rat spinal cord
S. Iino and S. Maekawa (Japan) 66

Effect of paired transcranial magnetic stimulation on the cortical silent period
T. Shimizu, M. Oliveri, M.M. Filippi, M.G. Palmieri, P. Pasqualetti and P.M. Rossini (Italy, Japan) 74

FMRFamide immunoreactivity and the invasion of adenohypophyseal cells into the neural lobe in the developing pituitary of the tree shrew *Tupaia belangeri*
C.R. Malz and H.-J. Kuhn (Germany) 83

Long-lasting c-*fos* and NGF mRNA expressions and loss of perikaryal parvalbumin immunoreactivity in the development of epileptogenesis after ethacrynic acid-induced seizure
J. Suzukawa, K. Omori, G. Okugawa, Y. Fujiseki, C.W. Heizmann and C. Inagaki (Japan, Switzerland) 89

A single pretreatment with MK-801 or cocaine enhances their locomotor stimulant effects in rats
M.F. O'Neill and G.J. Sanger (UK) 103

Effects of electrical stimulation of thalamic nucleus submedius and periaqueductal gray on the visceral nociceptive responses of spinal dorsal horn neurons in the rat
K. Okada, K. Murase and K. Kawakita (Japan) 112

Spatio-temporal analysis of light-induced Fos expression in the retina of rd mutant mice
J.J. Huerta, M.M. Llamosas, R. Cernuda-Cernuda and J.M. García-Fernández (Spain) 122

Characterization and regional distribution of nitric oxide synthase in the human brain during normal ageing
D. Blum-Degen, T. Heinemann, J. Lan, V. Pedersen, F. Leblhuber, W. Paulus, P. Riederer and M. Gerlach (Germany, Austria) 128

Short communications

Differential effects of 192IgG-saporin and NMDA-induced lesions into the basal forebrain on cholinergic activity and taste aversion memory formation
H. Gutiérrez, R. Gutiérrez, R. Silva-Gandarias, J. Estrada, M.I. Miranda and F. Bermúdez-Rattoni (Mexico) 136

Predominant expression of group-II metabotropic glutamate receptors in the goldfish brain
A. Poli, R. Lucchi, M. Storto, P. De Paolis, S. Notari, F. Nicoletti and G. Casabona (Italy) 142

Immunohistochemical localization of connective tissue growth factor in the rat central nervous system
Y. Kondo, T. Nakanishi, M. Takigawa and N. Ogawa (Japan) 146

(Contents continued on p. 235)

0006-8993(19990710)834:1/2;1-P

(contents continued)

Intra-periaqueductal grey injection of galanin increases the nociceptive response latency in rats, an effect reversed by naloxone
D. Wang, H.-H. Ye, L.-C. Yu and T. Lundeberg (China, Sweden) 152
Substance P-immunoreactive boutons closely appose inspiratory protruder hypoglossal motoneurons in the cat
P.J. Gatti, I.J. Llewellyn-Smith, Q.-J. Sun, J. Chalmers and P. Pilowsky (USA, Australia) 155
Differential effects of neuropeptide Y and the μ-agonist DAMGO on 'palatability' vs. 'energy'
S.Q. Giraudo, M.K. Grace, C.J. Billington and A.S. Levine (USA) 160
Attenuation of dopamine uptake in vivo following priming with estradiol benzoate
T.L. Thompson (USA) 164
Clorgyline and deprenyl attenuate striatal malonate and 3-nitropropionic acid lesions
W.F. Maragos, P.A. Tillman, M.D. Chesnut and R.J. Jakel (USA) 168
Expression of NADPH-diaphorase and colocalization with Fos in the brain neurons of the rat following visceral noxious stimulation
L. Rodella, R. Rezzani, C. Agostini and R. Bianchi (Italy) 173
Reversal of morphine tolerance and dependence by melatonin: possible role of central and peripheral benzodiazepine receptors
V. Raghavendra and S.K. Kulkarni (India) 178
Poly(ADP–ribose) polymerase is found in both the nucleus and cytoplasm of human CNS neurons
M.R. Cookson, P.G. Ince, P.A. Usher and P.J. Shaw (UK) 182
Visualisation of AMPA binding sites in the brain stem of normotensive and hypertensive rats
M.A. Ashworth-Preece, F. Chen, B. Jarrott and A.J. Lawrence (Australia) 186
Induction of glial cell line-derived neurotrophic factor receptor proteins in cerebral cortex and striatum after permanent middle cerebral artery occlusion in rats
H. Kitagawa, C. Sasaki, W.R. Zhang, K. Sakai, Y. Shiro, H. Warita, Y. Mitsumoto, T. Mori and K. Abe (Japan) 190
Differential control of sympathetic drive to the rat tail artery and kidney by medullary premotor cell groups
J.A. Rathner and R.M. McAllen (Australia) 196
The effects of RB101, a mixed inhibitor of enkephalin-catabolizing enzymes, on carrageenin-induced spinal c-Fos expression are completely blocked by β-funaltrexamine, a selective μ-opioid receptor antagonist
S. Le Guen, P. Honoré, G. Catheline, M.-C. Fournié-Zaluski, B.-P. Roques and J.-M. Besson (France) 200
Phosphatidylcholine and phosphatidylethanolamine metabolites may regulate brain phospholipid catabolism via inhibition of lysophospholipase activity
A. Fallbrook, S.D. Turenne, N. Mamalias, S.J. Kish and B.M. Ross (Canada) 207
Persistent activation of calcium-activated and calcium-independent protein kinase C in response to electrical afterdischarge from peptidergic neurons of *Aplysia*
N.L. Wayne, W. Lee and Y.J. Kim (USA) 211
Mossy fiber sprouting in the dentate gyrus in a newly developed epileptic mutant, Ihara epileptic rat
S. Amano, M. Ikeda, S. Uemura, J. Fukuoka, A. Tsuji, M. Sasahara, Y. Hayase and F. Hazama (Japan) 214
Phosphacan immunoreactivity is associated with perineuronal nets around parvalbumin-expressing neurones
A. Haunsø, M.R. Celio, R.K. Margolis and P.-A. Menoud (Switzerland, USA) 219
Cerebrovascular evidence for a GABAergic modulation of the cholinergic vasodilatatory basalocortical system in the rat
A. Barbelivien, C. Noël, E.T. MacKenzie and F. Dauphin (France) 223
The axonal arborization of single nigrostriatal neurons in rats
J. Gauthier, M. Parent, M. Lévesque and A. Parent (Canada) 228

Author Index 233

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl / locate / contentsdirect**